

SEARS

ROEBUCK AND CO.

MASTER-MIXED PERMANENT COLORS

Can be mixed with oil based
paints or enamels only.



Ideal for tinting interior or exterior paints and enamels. Also used by artists and decorators.



DIRECTIONS FOR MIXING MASTER-MIXED PERMANENT COLORS

Squeeze some color from the tube into a small amount of tirpolene and stir until completely dissolved. Add this slowly to the paint to be tinted, stirring meanwhile, until the desired shade is attained. Remember that wet paint in the can appears brighter and lighter in color than when it has become dry. Keep this in mind when mixing.

DEEP COLOR

1 tube to 1 qt.
of white

½ tube to 1 gal.
of white

DEEP COLOR

1 tube to 1 qt.
of white

½ tube to 1 gal.
of white




2253—Venetian Red



2257—Rose Lake



2240—Raw Umber



2242—Raw Sienna



2248—Medium Chrome Green



2265—French Ochre



2236—Ultramarine Blue



2230—Lamp Black



ALSO MADE IN


DEEP COLOR

1 tube to 1 qt.
of white

1/2 tube to 1 gal.
of white



2263—Chrome Yellow (Med.)



2254—Indion Red



2259—Scorlet Vermilion



2241—Burnt Umber



2243—Burnt Sienna



2244—Von Dyke Brown

2234 ZINC WHITE

DEEP COLOR

1 tube to 1 qt.
of white

1/2 tube to 1 gal.
of white



2235—Prussion Blue



2262—Chrome Yellow (Light)



2247—Chrome Green (Light)



2264—Chrome Yellow (Orange)



2233—Drop Black

With each of these colors are shown two appealing tints which may be secured by mixing the tube color with white paint or enamel in various proportions. The variations possible by this method are almost limitless.

SEARS, ROEBUCK AND CO.

LESS WEIGHT..MORE STRENGTH..WEATHER RESISTANT

WORKMASTER

SEARS

ROEBUCK AND CO.

MAGNESIUM

MADE OF WORLD'S

LIGHTEST STRUCTURAL METAL

LADDERS

Workmaster Magnesium Ladders combine extremely light weight with great strength and rigidity. Practically weatherproof, the bolted or riveted construction of most of these ladders permit easy replacement of parts if ever necessary.

A. Weighs about 1½ lbs. per ft. of length. Rope, pulley hoist, plus features illustrated at right. Lengths 20 ft. to 40 ft. Single section ladders in 8 ft., 12 ft. and 16 ft. lengths.

B. Lightweight extension ladders; strong welded construction ideal for home maintenance or light shop work. Lengths 16 to 28 ft.

C. Stepladder with grooved steps and rubber safety feet. Riveted. 3, 5, 6, 8, 10 ft. lengths.

D. Step stool weighs only 3½ lbs. 26 in. high. Grooved steps. Folds for easy storage.

E. New design platform magnesium stepladder available with folding platform 2 or 3 ft. above floor. Sides of ladder extend 2 ft. above platform. We believe this is the safest and most practical type stepladder ever made. Lengths 4 and 5 ft. See them.

Other sizes of above ladders and three-section extension ladders up to 72-ft. length available on special order. Workmaster adjustable ladder jacks may be used either with magnesium or wood ladders.



Rolls easily up side of house



Sections safety-grooved together.



Spring lock hooks - automatically.



Grooved non-skid rubber feet easily removed to expose corrugated metal feet for safety on ice.



SEARS, ROEBUCK AND CO.

LESS WEIGHT..MORE STRENGTH..WEATHER RESISTANT

WORKMASTER

SEARS
ROEBUCK AND CO.

MAGNESIUM
MADE OF WORLD'S LIGHTEST STRUCTURAL METAL

Digitized by



ASSOCIATION
FOR
PRESERVATION
TECHNOLOGY,
INTERNATIONAL

www.apti.org

BUILDING
TECHNOLOGY
HERITAGE
LIBRARY

<https://archive.org/details/buildingtechnologyheritagelibrary>

From the collection of:

Jablonski Building Conservation
www.jbconservation.com

Workmaster Mag combine extremel with great strengt Practically weather ed or riveted constr these ladders perm ment of parts if e

A. Weighs about 1 length. Rape, pulley i illustrated at right. Le ft. Single section ladi and 16 ft. lengths.

B. Lightweight extens welded construat maintenance or light : 16 to 28 ft.

C. Stepladder with e rubber safety feet. R 10 ft. lengths.

D. Step stool weig 26 in. high. Groove easy storage.

E. New design pla stepladder available form 2 or 3 ft. aba ladder extend 2 ft. We believe this is th practical type steplc Lengths 4 and 5 ft. s

Other sizes of abave section extension lac length available on s master adjustable ladd either with magnesiu

SEARS, ROEBUCK AND CO.

Grooved non-skid rubber feet easily removed to expose corrugated metal feet for safety on ice.